



UltraPro™ 24/5

REFILL

Compressed Block

For Beef Cattle on Pasture

Guaranteed Analysis

Crude Protein (Min).....	24.0%
(This includes not more than 16.0% crude protein equivalent from non-protein nitrogen.)	
Crude Fat (Min).....	5.0%
Crude Fiber (Max).....	5.0%
Calcium (Min).....	7.0%
Calcium (Max).....	8.4%
Phosphorus (Min).....	0.5%
Salt (Min).....	15.0%
Salt (Max).....	18.0%
Copper (Min).....	60 ppm
Manganese (Min).....	220 ppm
Selenium (Min).....	3.3 ppm
Zinc (Min).....	200 ppm
Vitamin A (Min).....	15,000 IU/lb
Vitamin D-3 (Min).....	3,000 IU/lb
Vitamin E (Min).....	5 IU/lb

CAUTION: USE AS DIRECTED. Consumption of selenium should not exceed 3 mg per head daily.

WARNING: This product, which contains added copper, should not be fed to sheep or any species with a low tolerance to supplemental copper.

Manufactured By:
Ridley Block Operations
Mankato, MN 56001

Ingredients

Processed Grain By-Products, Salt, Calcium Carbonate, Calcium Hydroxide, Urea, Molasses Products, Hydrolyzed Vegetable Oil, Monocalcium Phosphate, Dicalcium Phosphate, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Sodium Selenite, Ethylenediamine Dihydroiodide, Calcium Iodate, Cobalt Carbonate, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement and Mineral Oil.

Introductory Period: Following a 7 to 10 day acclimation period, average consumption should be 1 to 2 pounds for mature cattle with unrestricted forage supplies. Position the blocks 50 to 75 feet from loafing, feeding and watering areas. Some repositioning of blocks may be necessary as animals become acclimated to the presence of the blocks. Move blocks closer to increase consumption; further away to decrease consumption. If overconsumption occurs for more than two weeks and repositioning of blocks does not correct the situation, remove blocks and evaluate the overall feeding program. **DO NOT ALLOW STARVED ANIMALS FREE ACCESS TO THIS BLOCK.**

Feeding and Management

- 1. Container-less/Refill** blocks are designed to be fed either as a 1) "Refill" options by inserting the blocks in a clean, empty container from a previously fed Triple Trust® supplement or 2) placing the "Container-less" blocks in a pasture without a container in well drained areas where livestock have unrestricted access to the supplement.
2. Feed at a rate of one block per 15-30 head. All animals should have equal access to blocks. Timid and smaller animals need their share.
3. Place blocks where animals congregate. Locate blocks throughout the pasture at loafing, grazing and watering areas. Adequate distance must be maintained between blocks to prevent crowding - 10 feet minimum.
4. Feed blocks continuously along with plentiful sources of forage and clean, fresh water. Animals should not run out of blocks. When a block is two-thirds consumed, provide a new block near it.
5. Cattle should consume 1 to 2 pounds per head daily based on a 1,000-pound animal.
6. Consumption of this block may vary depending upon animal body condition, quality and quantity of forages, seasonal weather conditions, and most importantly, feeding locations of blocks with respect to loafing, grazing, feeding and watering areas.
7. If additional mineral and vitamin fortification is desired, feed an appropriate Triple Trust® self-fed mineral supplement in addition to this supplement.

For additional information, please contact your Triple Trust® representative.

NET WEIGHT: 200 LBS. (90.7 KG)

Batch #

10388

TT3105
0416



UltraPro™ 24/5

REFILL

Compressed Block

For Beef Cattle on Pasture

Guaranteed Analysis

Crude Protein (Min).....	24.0%
(This includes not more than 16.0% crude protein equivalent from non-protein nitrogen.)	
Crude Fat (Min).....	5.0%
Crude Fiber (Max).....	5.0%
Calcium (Min).....	7.0%
Calcium (Max).....	8.4%
Phosphorus (Min).....	0.5%
Salt (Min).....	15.0%
Salt (Max).....	18.0%
Copper (Min).....	60 ppm
Manganese (Min).....	220 ppm
Selenium (Min).....	3.3 ppm
Zinc (Min).....	200 ppm
Vitamin A (Min).....	15,000 IU/lb
Vitamin D-3 (Min).....	3,000 IU/lb
Vitamin E (Min).....	5 IU/lb

CAUTION: USE AS DIRECTED. Consumption of selenium should not exceed 3 mg per head daily.

WARNING: This product, which contains added copper, should not be fed to sheep or any species with a low tolerance to supplemental copper.

Manufactured By:
Ridley Block Operations
Mankato, MN 56001

Ingredients

Processed Grain By-Products, Salt, Calcium Carbonate, Calcium Hydroxide, Urea, Molasses Products, Hydrolyzed Vegetable Oil, Monocalcium Phosphate, Dicalcium Phosphate, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Sodium Selenite, Ethylenediamine Dihydroiodide, Calcium Iodate, Cobalt Carbonate, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement and Mineral Oil.

Introductory Period: Following a 7 to 10 day acclimation period, average consumption should be 1 to 2 pounds for mature cattle with unrestricted forage supplies. Position the blocks 50 to 75 feet from loafing, feeding and watering areas. Some repositioning of blocks may be necessary as animals become acclimated to the presence of the blocks. Move blocks closer to increase consumption; further away to decrease consumption. If overconsumption occurs for more than two weeks and repositioning of blocks does not correct the situation, remove blocks and evaluate the overall feeding program. **DO NOT ALLOW STARVED ANIMALS FREE ACCESS TO THIS BLOCK.**

Feeding and Management

- 1. Container-less/Refill** blocks are designed to be fed either as a 1) "Refill" options by inserting the blocks in a clean, empty container from a previously fed Triple Trust® supplement or 2) placing the "Container-less" blocks in a pasture without a container in well drained areas where livestock have unrestricted access to the supplement.
2. Feed at a rate of one block per 15-30 head. All animals should have equal access to blocks. Timid and smaller animals need their share.
3. Place blocks where animals congregate. Locate blocks throughout the pasture at loafing, grazing and watering areas. Adequate distance must be maintained between blocks to prevent crowding - 10 feet minimum.
4. Feed blocks continuously along with plentiful sources of forage and clean, fresh water. Animals should not run out of blocks. When a block is two-thirds consumed, provide a new block near it.
5. Cattle should consume 1 to 2 pounds per head daily based on a 1,000-pound animal.
6. Consumption of this block may vary depending upon animal body condition, quality and quantity of forages, seasonal weather conditions, and most importantly, feeding locations of blocks with respect to loafing, grazing, feeding and watering areas.
7. If additional mineral and vitamin fortification is desired, feed an appropriate Triple Trust® self-fed mineral supplement in addition to this supplement.

For additional information, please contact your Triple Trust® representative.

NET WEIGHT: 200 LBS. (90.7 KG)

Batch #

10388

TT3105
0416