



20% Sheep

For All Classes of Sheep

GUARANTEED ANALYSIS

Crude Protein (Min)	20.00%
Crude Fat (Min)	1.50%
Crude Fiber (Max)	6.50%
Calcium (Min)	3.25%
Calcium (Max)	4.25%
Phosphorus (Min)	1.00%
Salt (Min)	19.00%
Salt (Max)	22.80%
Magnesium (Min)	0.50%
Cobalt (Min)	15 ppm
Manganese (Min)	900 ppm
Iodine (Min)	30 ppm
Selenium (Min)	6 ppm
Zinc (Min)	1,050 ppm
Vitamin A (Min)	100,000 IU/lb
Vitamin D-3 (Min)	10,000 IU/lb
Vitamin E (Min)	100 IU/lb

CAUTION: Use as directed. Consumption of selenium should not exceed 0.7 mg per head daily.



INGREDIENTS

Processed Grain By-Products, Salt, Plant Protein Products, Molasses Products, Calcium Carbonate, Calcium Hydroxide, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Ferrous Sulfate, Manganous Oxide, Zinc Oxide, Manganese Sulfate, Zinc Sulfate, Zinc Proteinate, Sodium Selenite, Selenium Yeast, Calcium Iodate, Cobalt Sulfate, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement, Mineral Oil.

INTRODUCTORY PERIOD

Following a 7 to 10 day acclimation period, average consumption should be 2 to 4 ounces for sheep with unrestricted forage supplies. Position the blocks 50 to 70 feet from the loafing, feeding and watering area during the first week of feeding. Some repositioning of the blocks may be necessary as the animals become acclimated to the presence of the blocks. Move blocks closer to increase consumption, further away to decrease consumption. If overconsumption occurs for more than two weeks and repositioning of the blocks does not correct the situation, remove the blocks and evaluate the overall feeding program. **DO NOT ALLOW STARVED ANIMALS FREE ACCESS TO THIS BLOCK.**

FEEDING RECOMMENDATIONS

1. Feed 1 block per 5 to 10 head. All animals should have equal access to blocks. Timid and smaller animals need their share.
2. Place blocks where animals congregate. Locate blocks throughout the pasture at loafing, grazing and watering areas. Adequate distance must be maintained between blocks to prevent crowding - 10 feet minimum.
3. Feed blocks continuously along with plentiful sources of forage and clean, fresh water. Animals should not run out of blocks. When a block is two-thirds consumed, provide a new block near it. Place very small pieces in a feed pan or trough to be cleaned up.
4. Sheep should consume 2 to 4 ounces per head daily.
5. Consumption of this block may vary depending upon animal body conditions, quality and quantity of forages, seasonal weather conditions, and most importantly, feeding locations of blocks with respect to loafing, grazing, feeding and watering areas.
6. Feed as the sole source of self-fed salt, minerals and vitamins.

NET WEIGHT: 25 LBS (11.34 KG)

For additional information, please contact your Triple Trust® representative.

Manufactured By:
Ridley Block Operations
 Mankato, MN 56001

56235
 0916