

TRIPLE TRUST

16% BOER GOAT

PELLET (11150) Medicated

Complete feed for boer goats.

For the prevention of coccidiosis caused by *Eimeria Crandallis*, *E. Christensemi*, and *E. Ninakoh lyakimovae*. Feed complete feed (90% dry matter basis) continuously as the sole ration.

Active Drug Ingredient:

Monensin. 20 g/ton

GUARANTEED ANALYSIS

Crude Protein, (Min)	16.0%
Crude Fat, (Min)	3.00%
Crude Fiber, (Max)	8.00%
Calcium, (Min)	0.65%
Calcium, (Max)	0.90%
Phosphorus, (Min)	0.45%
Salt, (Min)	0.40%
Salt, (Max)	0.65%
Copper, (Min)	9 ppm
Selenium, (Min)	0.30 ppm
Vitamin A, (Min)	6,000 IU/lb.

INGREDIENTS

Ground Corn, Processed Grain By-Products, Soybean Meal, Alfalfa Meal, Calcium Carbonate, Yeast Culture, Salt, Ammonium Chloride, Calcium Sulfate, Magnesium Sulfate, Potassium Sulfate, Mineral Oil, Iron Sulfate, Magnesium Oxide, Zinc Oxide, Dicalcium Phosphate, Sodium Selenite, Diatomaceous Earth, Vitamin A Supplement, Vitamin D Supplement, Vitamin E Supplement, Thiamine Mononitrate, Copper Sulfate, Niacin, Artificial Flavoring, Cobalt Carbonate.

Feeding Directions: Feed at the rate of 1 lb. per 100 lbs. of body weight. Always provide clean fresh water and good quality hay.

Caution: Do not allow horses or other equine access to feeds containing Monensin. Ingestion of Monensin by horses can be fatal. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal in cattle and could be fatal in goats. Consumption by Monensin-medicated feed is intended for use in cattle or in goats. Consumption by unapproved species may result in toxic reaction. Do not feed to lactating dairy cows. Do not feed to lactating goats.

Manufactured For:



Louisville,
Kentucky
40219

Net Weight 50 lbs. (22.68 kgs.)